

References

Ahring, B.K., Sandberg, M. and Angelidaki, I. (1995) Volatile fatty acids as indicators of process imbalance in anaerobic digestors. *Microbiology Biotechnology* **43**, 559-565.

Amrane, A. and Prigent, Y. (1998) A new turbidimetric device for on-line monitoring of growth of filamentous microorganisms. *Journal of Microbiological Methods* **33**, 37-43.

Amrani, M.E.H., Ibrahim, M.S. and Persaud, K.C. (1993) Synthesis, chemical characterisation and multifrequency measurements of poly N-(2-pyridyl) pyrrole for sensing volatile chemicals. *Materials Science and Engineering C1*, 17-22.

Anselme, C., Suffet, I.H. and Mallevalle, J. (1988) Effects of ozonation on tastes and odors. *Journal American Water Works Association* **80**, 45-51.

Arn, D., Blom, N., Dubler-Steudle, K., Graber, N. and Widmer, H.M. (1991) Surface acoustic wave gas sensors: Applications in the chemical industry. *Sensors and Actuators A* **25-27**, 395-397.

Bartlett, P.N., Archer, P.B.M. and Ling-Chung, S.K. (1989) Conducting polymer sensors Part 1: fabrication and characterization. *Sensors and Actuators* **19**, 125-140

Bartels, J.H.M., Brady, B.M. and Suffet, I.H. (1987) Training panelists for the flavor profile analysis method. *Journal American Water Works Association* **79**, 26-32.

Bartels, J.H.M., Burlingame, G.A. and Suffet, I.H. (1986) Flavor profile analysis - taste and odor control of the future. *Journal American Water Works Association* **78**, 50-55.

Basheer, I.A. and Hajmeer, M. (2000) Artificial neural networks: fundamentals, computing, design and application. *Journal of Microbiological Methods* **43**, 3-31.

- Baun, A., Bussarawit, N., and Nyholm, N. (1998) Screening of pesticide toxicity in surface water from an agricultural area at Phuket Island (Thailand). *Environmental Pollution* **102**, 185-190.
- Bloch, H. (1999) The European Union Water Framework Directive, taking European water policy into the next millennium. *Water Science and Technology* **40**, 67-71.
- Bode, H. and Nusch, E.A. (1999) Advanced river quality monitoring in the Ruhr Basin. *Water Science and Technology* **40**, 145-152.
- Bourgeois, W. and Stuetz, R.M. (2000) Measuring wastewater quality using a sensor array: prospects for real-time monitoring. *Water Science and Technology* **41**, 107-112
- Bourgeois, W., Hogben, P., Pike, A. and Stuetz, R.M. (2003) Development of a sensor array based measurement system for continuous monitoring of water and wastewater. *Sensors and Actuators B* **88**, 312-319.
- Bourgeois, W., Gardey, G., Servieres, M. and Stuetz, R.M. (2003) A chemical sensor array based system for protecting wastewater treatment plants. *Sensors and Actuators B* **69**, 1-8.
- Brezmes, J., Llobet, E., Vilanova, X., Saiz, G. and Correig, X. (2000) Fruit ripeness monitoring using an electronic nose. *Sensors and Actuators B* **69**, 223-229.
- Brownlee, B.G., Keneficj, S.L., MacInnis, G.A. and Hrudehy, S.E. (1995) Characterisation of odorous compounds from bleached kraft pulp mill effluent. *Water Science and Technology* **31**, 35-40.
- Bruchet, A., Anselme, C., Jammes, C. and Mallevalle, J. (1995) Development of a taste and odor expert-system - present state, strengths, limitations and possible future evolution. *Water Science and Technology* **31**, 243-250.

-
- Bruchet, A., Costentin, E., Legrand, M.F. and Mallevalle, J. (1992) Influence of the chlorination of natural nitrogenous organic compounds on tastes and odors in finished drinking waters. *Water Science and Technology* **25**, 323-333.
- Burlingame, G.A. (1999) Odor Profiling of Environmental Odors. *Water Science and Technology* **40**, 31-38.
- Bruzzoniti, M.C., Sarzanini, C. and Mentasti, E. (2000) Preconcentration of contaminants in water analysis. *Journal of Chromatography A* **902**, 289-309.
- Capone, S., Siciliano, P., Rella, R., Epifani, M. and Vasanelli, L. (2000) Analysis of vapours and foods by means of an electronic nose based on a sol-gel metal oxide sensors array. *Sensors and Actuators B* **69**, 230-235
- Cheek, J.D.N and Wang, Z. (1999) Acoustic wave gas sensors. *Sensors and Actuators B* **59**, 146-153.
- Clark, R.M., Vicory, A.H. and Goodrich, J.A. (1990) The Ohio River oil spill: A case study. *Journal of The American Water Works Association* **82**, 39-44
- (COM(97)49 final) Commission of the European communities. Amended proposal for a European parliament and council directive, *Establishing a framework for Community action in the field of water policy.*
- Cotsaris, E., Bruchet, A., Mallevalle, J. and Bursill, D.B. (1995) The identification of odorous metabolites produced from algal monocultures. *Water Science and Technology* **31**, 251-258.
- Covington, J.A., Gardner, J.W., Briand, D. and de Rooij, N.F. (2001) A polymer gate FET sensor array for detecting organic vapours. *Sensors and Actuators B* **77**, 155-162.

-
- Crompton, T.R. (2003) Preconcentration techniques for natural and treated waters – high sensitivity determination of organic and organometallic compounds, cations and anions. *Spon Press, London, UK*. ISBN 0-415-26811-7.
- Crozes, G., Hagstrom, J., Suffet, I.H. and Young, C. (1999) Bench-scale evaluation of adsorptive processes for taste and odors control using rapid small-scale column tests and flavor profile analysis. *Water Science and Technology* **40**, 39-44.
- Davi, M.L. and Gnudi, F. (1999) Phenolic compounds in surface water. *Water Research* **33**, 3213-3219.
- Davis, H.K., Geelhoed, E.N., Macrae, A.W. and Howgate, P. (1992) Sensory analysis of trout tainted by diesel fuel in ambient water. *Water Science and Technology* **25**, 11-18.
- Degreef, E., Zoeteman, B.C.J., Vanoers, H.J., Koster, E.P. and Rook, J.J. (1983) Drinking-water contamination and taste assessment by large consumer panels. *Water Science and Technology* **15**, 13-24.
- Delpha, C., Siadat, M. and Lumbreras, M. (2001) An electronic nose for the discrimination of forane 134a and carbon dioxide in a humidity controlled atmosphere. *Sensors and Actuators B* **78**, 49-56
- Dewettinck, T., Van Hege, K. and Verstraete, W. (2001) The electronic nose as a rapid sensor for volatile compounds in treated domestic wastewater. *Water Research* **35**, 2475-2483.
- Di Natale, C., Macagnano, A., Davide, F., D'amico, A., Legin, A., Vlasov, Y., Rudnitskaya, A. and Selezenev, B. (1997) Multicomponent analysis on polluted waters by means of an electronic tongue. *Sensors and Actuators B* **44**, 423-428.

Di Natale, C. (1999) *Artificial sensing techniques for evaluating quality* [Internet] Asteq Available from http://www.inapg.inra.fr/ens_rech/siab/asteq/elba/cps.htm [Accessed October 2002].

Di Natale, C., Olafsdottir, G., Einarsson, S., Martinelli, E., Paolesse, R. and D'Amico, A. (2001) Comparison and integration of different electronic noses for freshness evaluation of cod-fish fillets. *Sensors and Actuators B* **77**, 572-578.

Di Natale, C., Macagnano, A., Nardis, S., Paolesse, R., Falconi, C., Proietti, E., Siciliano, P., Rella, R., Taurino, A. and D'Amico, A. (2001) Comparison and integration of arrays of quartz resonators and metal-oxide semiconductor chemoresistors in the quality evaluation of olive oils. *Sensors and Actuators B* **78**, 303-309.

Doleman, B.J., Sanner, R.D., Severin, E.J., Grubbs, R.H. and Lewis, N.S. (1998) Use of compatible polymer blends to fabricate arrays of carbon black-polymer composite vapour detectors. *Analytical Chemistry* **70**, 2560-2564.

Doleman, B.J., Lonergan, M.C., Severin, E.J., Vaid, T.P. and Lewis, N.S. (1998) Quantitative study of the resolving power of arrays of carbon black-polymer composites in various vapour-sensing tasks. *Analytical Chemistry* **70**, 4177-4190.

Doleman, B.J. and Lewis, N.S. (2001) Comparison of odor detection thresholds and odor discriminabilities of a conducting polymer composite electronic nose versus mammalian olfaction. *Sensors and Actuators B* **72**, 41-50.

Doll, T., Lechner, J., Eisele, I., Schierbaum, K.D. and Gopel, W. (1996) Ozone detection in the ppb range with work function sensors operating at room temperature. *Sensors and Actuators B* **34**, 506-510.

Domagalski, J. (1997) Results of a prototype surface water network design for pesticides developed for the San Joaquin River basin, California. *Journal of Hydrology* **192**, 33-50.

-
- Drage, B.E., Upton, J.E. and Purvis, M. (1998) On-line monitoring of micropollutants in the River Trent (UK) with respect to drinking water abstraction. *Water Science and Technology* **38**, 123-130.
- Environment Agency report (2002). *Water pollution incidents in England and Wales* [Internet] Available from <http://environment-agency.gov.uk> [Accessed July 2001].
- Fernandez-Alba, A.R., Aguera, A., Contreras, M., Penuela, G., Ferrer, G. and Barcelo, D. (1998) Comparison of various sample handling and analytical procedures for the monitoring of pesticides and metabolites in ground waters. *Journal of Chromatography A* **823**, 35-47
- Froese, K.L., Wolanski, A. and Hrudey, S.E. (1999) Factors governing odorous aldehyde formation as disinfection by-products in drinking water. *Water Research* **33**, 1355-1364.
- Gardner, J.W., Shurmer, H.V. and Tan, T.T. (1992) Application of an electronic nose to the discrimination of coffees. *Sensors and Actuators B* **6**, 71-75.
- Gardner, J.W., Pike, A., de Rooij, N.F., Koudelka-Hep, M., Clerc, P.A., Hierlemann, A. and Gopel, W. (1995) Integrated array sensor for detecting organic solvents. *Sensors and Actuators B* **26-27**, 135-139.
- Gardner, J.W. and Hines, E.L. (1996) Pattern analysis techniques. In: *Handbook of Biosensors and Electronic Noses*. (ed. E. Kress-Rogers), pp. 633-652, CRC Press, Boca Raton.
- Gardner, J. W. and Barlett, P. N. (1999) *Electronic nose: principles and applications*. Oxford University Press, New York.
- Gardner, J.W., Shin, H.W., Hines, E.L. and Dow, C.S. (2000) An electronic nose for monitoring the quality of potable water. *Sensors and Actuators B* **69**, 336-341.

-
- Gibson, T., Prosser, O. and Hulbert, J. (2000) Electronic Noses: an inspired idea? *Chemistry & Industry* 287-289.
- Gonzalez-Toledo, E., Compano, R., Granados, M. and Dolors Prat, M. (2003) Detection techniques in speciation analysis of organotin compounds by liquid chromatography. *Trends in Analytical Chemistry* **22**, 26-33.
- Gopel, W. and Schierbaum, K.D. (1995) SnO₂ sensors - current status and future-prospects. *Sensors and Actuators B* **26**, 1-12.
- Guadarrama, A., Rodriguez-Mendez, M.L., Sanz, C., Rios, J.L. and de Saja, J.A. (2001) Electronic nose based on conducting polymers for the quality control of the olive oil aroma. Discrimination of quality, variety of olive and geographic origin. *Analytica Chimica Acta* **432**, 283-292.
- Guadarrama, A., Fernandez, J.A., Iniguez, M., Souto, J. and de Saja, J.A. (2001) Discrimination of wine aroma using an array of conducting polymer sensors in conjunction with solid-phase micro-extraction (SPME) technique. *Sensors and Actuators B* **77**, 401-408.
- Guo, X.M. and Mitra, S. (1998) Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring. *Journal of Chromatography A* **826**, 39-47.
- Hassett, A.J. and Rohwer, E.R. (1999) Analysis of odourous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography-mass spectrometry. *Journal of Chromatography A* **894**, 521-528.
- Hatfield, J.V., Neaves, P., Hicks, P.J., Persaud, K. and Travers, P. (1994) Towards an integrated electronic nose using conducting polymer sensors. *Sensors and Actuators B* **18**, 221-228.

- Hepplewhite, C., Newcombe, G., Croue, J-P. and Violleau, D. (2001) PAC removal of T&O compounds: why does NOM compete so effectively? *American Water Works Association WQTC Proceedings*.
- Hobbs, P.J., Misselbrook, T.H. and Pain, B.F. (1995) Assessment of odors from livestock wastes by a photoionization detector, an electronic nose, olfactometry and gas- chromatography mass- spectrometry. *Journal of Agricultural Engineering Research* **60**, 137-144.
- Hodgins, D. (1995) The development of an electronic nose for industrial and environmental applications. *Sensors and Actuators B* **27**, 255-258.
- Hrudey, S.E., Gac, A. and Daignault, S.A. (1988) Potent odor-causing chemicals arising from drinking-water disinfection. *Water Science and Technology* **20**, 55-61.
- Hu, J-Y., Aizawa, T. and Magara, Y. (1999) Analysis of pesticides in water with liquid chromatography/atmospheric pressure chemical ionizationmass spectrometry. *Water Research* **33**, 417-425.
- Ito, T., Okumura, T. and Yamamoto, M. (1988) The relationship between concentration and sensory properties of 2-Methylisoborneol and Geosmin in drinking water. *Water Science and Technology* **20**, 11-17
- Jeffery, G.H., Bassett, J., Mendham, J. and Denney, R.C. (1989) Vogel's textbook of quantitative chemical analysis – fifth edition. *Longman Scientific & Technical* ISBN 0-582-44693-7
- Jimenez-Morales, A., Galvan, J.C. and Aranda, P. (2002) A new silver-ion selective sensor based on a polythiacrown-ether entrapped by sol-gel. *Electrochimica Acta* **47**, 2281-2287.
- Jolley, R.L. and Suffet, I.H. (1987) Concentration techniques for isolating organic constituents in environmental water samples. *American Chemical Society*.

-
- Jones, G.J. and Korth, W. (1995) In-situ production of volatile odor compounds by river and reservoir phytoplankton populations in Australia. *Water Science and Technology* **31**, 145-151.
- Ju, M-J., Hayama, K., Hayahi, K. and Toko, K. (2003) Discrimination of pungent-tasting substances using surface-polarity controlled sensor with indirect in situ modification. *Sensors and Actuators B* **89**, 150-157.
- Kaipainen, A., Ylisuutari, S., Lucas, Q. and Moy, L. (1997) A new approach to odour detection – comparison of thermal desorption GC-MS and electronic nose, two techniques for the analysis of headspace aromaprofiles of sugar. *International Sugar Journal* **99**, 403-408.
- Kajino, M. and Sakamoto, K. (1995) The relationship between musty odor causing organisms and water quality in Lake Biwa. *Water Science and Technology* **31**, 153-158.
- Karlsson, S., Grimvall, A. and Boren, H. (1995) Drinking water off-flavor caused by the formation of short- chain fatty-acids in slow sand filters. *Water Science and Technology* **31**, 49-54.
- Karube, I. And Nomura, Y. (2000) Enzyme sensors for environmental analysis. *Journal of Molecular Catalysis B: Enzymatic* **10**, 177-181.
- Kastner, J.F., Tacke, M., Katzir, A., Edl-Mizaikoff, B., Gobel, R. and Kellner, R. (1997) Optimising the modulation for evanescent-wave analysis with laser diodes (EWALD) for monitoring chlorinated hydrocarbons in water. *Sensors and Actuators B* **38-39**, 163-170.
- Kawamura, G., Anraku, K., Hisatomi, Y. and Motohiro, T. (1995) Chemical perception and behavioral response of fresh-water fish to 2-Methylisoborneol. *Water Science and Technology* **31**, 159-164.

-
- Khiari, D., Brenner, L., Burlingame, G.A. and Suffet, I.H. (1992) Sensory gas-chromatography for evaluation of taste and odor events in drinking water. *Water Science and Technology* **25**, 97-104.
- Kim, Y., Lee, Y., Gee, C.S. and Choi, E. (1997) Treatment of taste and odor causing substances in drinking water. *Water Science and Technology* **35**, 29-36.
- Kish, L.B., Vajtai, R. and Granqvist, C.G. (2000) Extracting information from noise spectra of chemical sensors: single sensor electronic noses and tongues. *Sensors and Actuators B* **71**, 55-59.
- Knepper, T.P., Sacher, F., Lange, F.T., Brauch, H.J., Karrenbrock, F., Roerden, O. and Lindner, K. (1999) Detection of polar organic substances relevant for drinking water. *Waste Management* **19**, 77-99.
- Komai, Y., Umemoto, S. and Inoue, T. (2002) Application of an automatic sampling and measurement system to a mountainous stream investigation during rain events. *Water Science and Technology* **45**, 213-218.
- Krantz-Rulcker, C., Stenberg, M., Winqvist, F. and Lundstrom, I. (2001) Electronic tongues for environmental monitoring based on sensor arrays and pattern recognition: a review. *Analytica Chimica Acta* **426**, 217-226.
- Krasner, S.W., Hwang, C.J. and McGuire, M.J. (1983) A standard method for quantification of earthy-musty odorants in water, sediments and algal cultures. *Water Science and Technology* **15**, 127-138.
- Krasner, S.W. (1988) Flavor profile Analysis - an objective sensory technique for the identification and treatment of off-flavors in drinking water. *Water Science and Technology* **20**, 31-36.

-
- Krasner, S.W. (1995) The use of reference materials in sensory analysis. *Water Science and Technology* **31**, 265-272.
- Kubickova, J. and Grosceg, W. (1998) Evaluation of flavour compounds of Camembert cheese. *International Dairy Journal* **8**, 11-16.
- Leffingwell, J.C. (2002) *Olfaction – a review* [Internet] Leffingwell and Associates. Available from <http://leffingwell.com> [Accessed October 2002].
- Levallois, P., Grondin, J. and Gingras, S. (1999) Evaluation of consumer Attitudes on taste and tap water alternatives in Quebec. *Water Science and Technology* **40** (6):135-139. 0273-1223.
- Levi, Y. and Jestin, J.M. (1988) Offensive tastes and odors occurring after chlorine addition in water treatment processes. *Water Science and Technology* **20**, 269-274.
- Liden, H., Mandenius, C.F., Gorton, L., Meinander, N.Q., Lundstrom, I. and Winqvist, F. (1998) On-line monitoring of a cultivation using an electronic nose. *Analytica Chimica Acta* **361**, 223-231.
- Liska, I. And Slobodnik, J. (1996) Comparison of gas and liquid chromatography for analysing polar pesticides in water samples. *Journal of Chromatography A* **733**, 235-258.
- Lloyd, S.W., Lea, J.M., Zimba, P.V. and Grimm, C.C. (1998) Rapid analysis of geosmin and 2-methylisoborneol in water using solid phase micro extraction procedures. *Water Research* **32**, 2140-2146.
- Lundstrom, I., Hedborg, E., Spetz, A., Sundgren, H. and Winqvist, F. (1992) Electronic nose based on field effect structures. In *Sensors and sensory systems for an electronic nose* (ed. J.W. Gardner and P.N.Bartlett), NATO ASI Series, Vol. 212, pp. 303-319. Kluwer, Dordrecht.

-
- Mallevalle, J. and Suffet, I.H. (1987) Identification and treatment of taste and odors in drinking water. *Journal of the American Water Works Association*. ISBN 0-89867-392-5.
- McGuire, M.J. (1995) Off-flavor as the consumers measure of drinking water safety. *Water Science and Technology* **31**, 1-8.
- McGuire, M.J., Krasner, S.W., Hwang, C.J. and Izaguirre, G. (1981) Closed-loop stripping analysis as a tool for solving taste and odor problems. *Journal American Water Works Association* **73**, 530-537.
- Meixner, H. and Lampe, U. (1996) Metal oxide sensors. *Sensors and Actuators B* **33**, 198-202.
- Mielle, P. and Marquis, F. (2001) One-sensor electronic olfactometer for rapid sorting of fresh fruit juices. *Sensors and Actuators B* **76**, 470-476.
- Misselbrook, T.H., Hobbs, P.J. and Persaud, K.C. (1997) Use of an electronic nose to measure odour concentration following application of cattle slurry to grassland. *Journal of Agricultural Engineering Research* **66**, 213-220.
- Mizaikoff, B. (2003) Infrared optical sensors for water quality monitoring. *Water Science and Technology* **47**, 35-42.
- Montiel, A., Rigal, S. and Welte, B. (1999) Study of the origin of musty taste in the drinking water supply. *Water Science and Technology* **40**, 171-177.
- Nistor, C. and Emneus, J. (1999) Bioanalytical tools for monitoring polar pollutants. *Waste Management* **19**, 147-170.
- Noblet, J., Schweitzer, L., Ibrahim, E., Stolzenbach, K.D., Zhou, L. and Suffet, I.H. (1999) Evaluation of a taste and odor incident on the Ohio River. *Water Science and Technology* **40**, 185-193.

-
- Obermeyer, L. and Thies, R.A. (1992) All in good taste: Selecting and training a flavour profile analysis panel. *Public Works* **123**, 72.
- Official Journal of the European community, L194, Council Directive (75/440/EEC) "Surface water for drinking", 25/7/1975.
- Official Journal of the European community, L330, Council Directive (98/83/EC) "The quality of water intended for human consumption", 25/7/1975.
- Official Journal of the European community, L271, Council Directive (79/869/EEC) "Drinking water measuring methods and sampling frequencies", 29/10/1976.
- Official Journal of the European community, L279, Council Directive (80/778/EEC) "Water for human consumption", 30/8/1980.
- Oshita, S., Shima, K., Haruta, T., Seo, Y., Kawagoe, Y., Nakayama, S. and Takahara, H. (2000) Discrimination of odors emanating from 'La France' pear by semi-conducting polymer sensors. *Computers and Electronics in Agriculture* **26**, 209-216.
- Palmentier J.P.F.P., Taguchi, V.Y., Jenkins, S.W.D., Wang, D.T., Ngo, K.P. and Robinson, D. (1998) The determination of Geosmin and 2-Methylisoborneol in water using isotope dilution high resolution mass spectrometry. *Water Research* **32**, 287-294.
- Papadopoulos, C.A., Vlachos, D.S. and Avaritsiotis, J.N. (1996) Comparative study of various metal-oxide-based gas-sensor architectures. *Sensors and Actuators B* **32**, 61-69
- Pearce, T.C., Gardner, J.W., Friel, S., Bartlett, P.N. and Blair, N. (1993) Electronic nose for monitoring the flavor of beers. *Analyst* **118**, 371-377.

-
- Persaud, K.C., Khaffaf, S.M., Payne, J.S., Pisanelli, A.M., Lee, D.H. and Byun, H.G. (1996) Sensor array techniques for mimicking the mammalian olfactory system. *Sensors and Actuators B* **36**, 267-273.
- Persaud, K.C., Khaffaf, S.M. and Pisanelli, A.M. (1996) Measurement of sensory quality using electronic sensing systems. *Measurement & Control* **29**, 17-20.
- Pinter, G.G. (1999) The Danube accident emergency warning system. *Water Science and Technology* **40**, 27-33.
- Petty, J.D., Orazino, C.E., Huckins, J.N., Gale, R.W., Lebo, J.A., Meadows, J.C., Echols, K.R. and Cranor, W.R. (2000) Considerations involved with the use of semipermeable membrane devices for monitoring environmental contaminants. *Journal of Chromatography A* **879**, 83-95.
- Rashash, D.M.C., Dietrich, A.M. and Hoehn, R.C. (1997) FPA of selected odorous compounds. *Journal American Water Works Association* **89**, 131-141.
- Rigal, S. (1995) Odor and flavor in waters - quantitative method for a new european standard. *Water Science and Technology* **31**, 237-242.
- Romero, J., Ventura, F., Caixach, J., Rivera, J., Gode, L.X. and Ninerola, J.M. (1998) Identification of 1,3-dioxanes and 1,3-dioxolanes as malodorous compounds at trace levels in river water, groundwater, and tap water. *Environmental Science & Technology* **32**, 206-216.
- Schiffman, S.S., Kermani, B.G. and Nagle, H.T. (1997) Analysis of medication off-odors using an electronic nose. *Chemical Senses* **22**, 119-128.
- Schulz, T.J. and Vanharreveld, A.P. (1996) International moves towards standardisation of odour measurement using olfactometry. *Water Science and Technology* **34**, 541-547.

-
- Schweitzer, L., Noblet, J., Ruth, E. and Suffet, I.H. (1999) The formation, stability, and odor characterization of 2-ethyl- 4-methyl-1,3-dioxolane (2-EMD). *Water Science and Technology* **40**, 293-298.
- Schweitzer, L., Noblet, J., Ye, Q., Ruth, E. and Suffet, I.H. (1999) The environmental fate and mechanism of formation of 2-ethyl- 5,5-dimethyl-1,3-dioxane (2EDD) - a malodorous contaminant in drinking water. *Water Science and Technology* **40**, 217-224.
- Segal, A., Gorecki, T., Mussche, P., Lips, J. and Pawliszyn, J. (2000) Development of membrane extraction with sorbent interface-micro gas chromatography system for field analysis. *Journal of Chromatography A* **873**, 13-27.
- Shurmer, H.V., Corcoran, P. and Gardner, J.W. (1991) Integrated arrays of gas sensors using conducting polymers with molecular sieves. *Sensors and Actuators B* **4**, 29-33.
- Shurmer, H.V. and Gardner, J.W. (1992) Odor discrimination with an electronic nose. *Sensors and Actuators B* **8**, 1-11.
- Siciliano, P. (2001) Preparation, characterisation and applicatios of MOX thin films prepared by cheap chemical methods. *Sensors and Actuators B* **70**, 174-179.
- Simon, I., Barsan, N., Bauer, M. and Weimar, U. (2001) Micromachined metal oxide gas sensors: opportunities to improve sensor performance. *Sensors and Actuators B* **73**, 1-26.
- Strotmann, U.J., Keinath, A. and Huttenhain, S.H. (1995) Biological test systems for monitoring the operation of wastewater treatment plants. *Chemosphere* **30**, 327-338.
- Stuetz, R.M., White, M. and Fenner, R.A. (1998) Use of an electronic nose to detect tainting compounds in raw and treated potable water. *Journal of Water Services Research and Technology-Aqua* **47**, 223-228.

-
- Stuetz, R.M. and Nicolas, J. (2001) Sensor arrays: an inspired idea or an objective measurement of environmental odours? *Water Science and Technology* **44**, 53-58.
- Stuetz, R. (2001) Using sensor arrays for on-line monitoring of water and wastewater quality. *American Laboratory* **33**, 10-13.
- Suffet, I.H., Corado, A. and Khiari, D. (1995) Brominated organic compounds and taste and odors in water supplies. *Water Supply* **13**, 85-99.
- Suffet, I.H., Brady, B.M., Bartels, J.H.M., Burlingame, G., Mallevalle, J. and Yohe, T. (1988) Development of the flavor profile analysis method into a standard method for sensory analysis of water. *Water Science and Technology* **20**, 1-9.
- Suffet, I.H., Khiari, D. and Bruchet, A. (1999) The drinking water taste and odor wheel for the millennium: beyond geosmin and 2-methylisoborneol. *Water Science and Technology* **40**, 1-13.
- Thomas, O., El Khorassani, H., Touraud, E. and Bitar, H. (1999) TOC versus UV spectrophotometry for wastewater quality monitoring. *Talanta* **50**, 743-749.
- Toko, K. (1998) Electronic tongue. *Biosensors & Bioelectronics* **13**, 701-709.
- Twist, H., Edwards, A.C. and Codd, G. (1997) A novel in-situ biomonitor using algal immobilised algae (*Scenedesmus Subspicatus*) for the assessment of eutrophication in flowing surface waters. *Water Research* **31**, 2066-2072.
- Ulmer, H., Mitrovics, J., Noetzel, G., Weimar, U. and Gopel, W. (1997) Odours and flavours identified with hybrid modular sensor systems. *Sensors and Actuators B-Chemical* **43**, 24-33.
- Van Der Hoek, J.P., Hofman Jamh and Graveland, A. (1999) The use of biological activated carbon filtration for the removal of natural organic matter and organic micropollutants from water. *Water Science and Technology* **40**, 257-264.

-
- Vanhout, P.J.M. and Brinkman, U.A.T. (1994) The Rhine Basin program. *Trac-Trends in Analytical Chemistry* **13**, 382-388.
- Ventura, F., Matia, L., Romero, J., Boleda, M.R. and Marti, I. (1995) Taste and odor events in Barcelona's water supply. *Water Science and Technology* **31**, 63-68.
- Walt, D.R., Dickinson, T., White, J., Kauer, J., Johnson, S., Engelhardt, H., Sutter, J. and Jurs, P. (1998) Optical sensor arrays for odor recognition. *Biosensors & Bioelectronics* **13**, 697-699.
- Watson, S.B., Brownlee, B., Satchwill, T. and Mccauley, E. (1999) The use of solid phase microextraction (SPME) to monitor for major organoleptic compounds produced by chrysophytes in surface waters. *Water Science and Technology* **40**, 251-256.
- Welte, B. and Montiel, A. (1999) Study of the possible origins of chlorinous taste and odour episodes in a distribution network. *Water Science and Technology* **40**, 257-263.
- Wnorowski, A.U. (1992) Tastes and odors in the aquatic environment - a Review. *Water Sa* **18**, 203-214.
- WWW.Marconitech.com [Internet] Marconi Applied Technologies. Available from <http://marconitech.com> [Accessed October 2002].
- Young, C.C. and Suffet, I.H. (1999) Development of a standard method - analysis of compounds causing tastes and odors in drinking water. *Water Science and Technology* **40**, 279-285.
- Young, C.C., Suffet, I.H., Crozes, G. and Bruchet, A. (1999) Identification of a woody-hay odor-causing compound in a drinking water supply. *Water Science and Technology* **40**, 273-278.
- Young, W.F., Horth, H., Crane, R., Ogden, T. and Arnott, M. (1996) Taste and odour threshold concentrations of potential potable water contaminants. *Water Research* **30**, 331-340.

Zamora, M.C. and Guirao, M. (2002) Analysing the contribution of orally perceived attributes to the flavour of wine. *Food Quality and Preference* **13**, 275-283.

Ziegler, C., Gopel, W., Hammerle, H., Hatt, H., Jung, G., Laxhuber, L., Schmidt, H.L., Schutz, S., Vogtle, F. and Zell, A. (1998) Bioelectronic noses: a status report. part II. *Biosensors & Bioelectronics* **13**, 539-571.

Zoeteman, B.C.J., Piet, G.J. and Postma, L. (1980) Taste as an indicator for drinking water quality. *Journal American Water Works Association* **72**, 537-540.